

REFERENCE LIST:

2008 (48)

- Alako B.T.F. 2008. An integrative algorithmic approach towards knowledge discovery by bioinformatics. Proefschrift Wageningen
Met lit. opg. - Met samenvatting in het Engels en Nederlands, Wageningen University.
- Bai Y.L., Pavan S., Zheng Z., Zappel N.F., Reinstadler A., Lotti C., De Giovanni C., Ricciardi L., Lindhout P., Visser R., Theres K. and Panstruga R. 2008. Naturally occurring broad-spectrum powdery mildew resistance in a central American tomato accession is caused by loss of Mlo function. *Molecular Plant-Microbe Interactions* 21: 30-39.
- Bolton M.D., van Esse H.P., Vossen J.H., de Jonge R., Stergiopoulos I., Stulemeijer I.J.E., van den Berg G.C.M., Borrás-Hidalgo O., Dekker H.L., de Koster C.G., de Wit P.J.G.M., Joosten M.H.A.J. and Thomma B.P.H.J. 2008. The novel *Cladosporium fulvum* lysin motif effector Ecp6 is a virulence factor with orthologs in other fungal species. *Molecular Microbiology* 69: 119-136.
- Bouwmeester K., van Poppel P.M.J.A. and Govers F. 2008 Genome biology cracks enigmas of oomycete plant pathogens. In: Parker J.E. (ed), *Annual Plant Reviews – Molecular Aspects of Plant Disease Resistance*, Blackwell. pp. in press.
- Bouwmeester K., Klamer S., Gouget A., Haget N., Canut H. and Govers F. 2008 Lectin Receptor Kinase 79, a putative target of the *Phytophthora infestans* effector IPI-O. In: Lorito M. (ed), *Biology of Plant-Microbe Interactions*. pp. in press.
- De Jong H.M. and Van den Ackerveken G. 2008 Establishment of fungal and oomycete biotrophy. In: Parker J.E. (ed), *Molecular aspects of plant disease resistance*, *Annual Plant Reviews*, Blackwell Publishing, Oxford, UK. pp. in press.
- De Jong M. 2008. Susceptibility of *Arabidopsis* to the downy mildew pathogen *Hyaloperonospora parasitica*; a reverse genetics approach, Utrecht University.
- De Mortel J.E.V., Schat H., Moerland P.D., Van Themaat E.V.L., Van der Ent S., Blankestijn H., Ghandilyan A., Tsiatsiani S. and Aarts M.G.M. 2008. Expression differences for genes involved in lignin, glutathione and sulphate metabolism in response to cadmium in *Arabidopsis thaliana* and the related Zn/Cd-hyperaccumulator *Thlaspi caerulescens*. *Plant Cell And Environment* 31: 301-324.
- Fiers M.W.E.J., van de Burgt A., Datema E., de Groot J.C.W. and van Ham R.C.H.J. 2008. High throughput annotation with the Cyrille2 pipeline system. *BMC Bioinformatics*. *Bmc Bioinformatics* 9: 96.
- Finkers R., Bai Y.L., van den Berg P., van Berloo R., Meijer-Dekens F., ten Have A., van Kan J., Lindhout P. and van Heusden A.W. 2008. Quantitative resistance to *Botrytis cinerea* from *Solanum neorickii*. *Euphytica* 159: 83-92.
- Hall R.D., Brouwer I.D. and Fitzgerald M.A. 2008. Plant metabolomics and its potential application for human nutrition. *Physiologia Plantarum* 132: 162-175.
- Hanson J., Hanssen M., Wiese A., Hendriks M.M.W.B. and Smeekens S.C.M. 2008. The sucrose regulated transcription factor bZIP11 affects amino acid metabolism by regulating the expression of

- ASPARAGINE SYNTHETASE1 and PROLINE DEHYDROGENASE2. *Plant Journal*: in press.
- Henquet M. 2008. Cell specific proteomics in Arabidopsis, Wageningen University.
- Heuvel van de T. 2008. PhD to be finalized in 2008, Wageningen University.
- Hink M.A., Shah K., Russinova E., de Vries S.C. and Visser A. 2008. Fluorescence fluctuation analysis of Arabidopsis thaliana somatic embryogenesis receptor-like kinase and brassinosteroid insensitive 1 receptor oligomerization. *Biophysical Journal* 94: 1052-1062.
- Jansen R., Hofstee J.W., Verstappen F., Bouwmeester H.J., Posthumus M. and van Henten E. 2008 A method to detect baseline emission and plant damage induced volatile emission in a greenhouse, *Acta Horticulturae*. pp. in press.
- Jiang R.H.Y., Tripathy S., Govers F. and Tyler B.M. 2008. The RXLR effector reservoir in two Phytophthora species is dominated by a single rapidly evolving super-family with more than 700 members. *Proceedings Of The National Academy Of Sciences Of The United States Of America* 105: 4874–4879
- Judelson H.S., Ah-Fong A.M.V., Aux G., Avrova A.O., Bruce C., Cakir C., da Cunha L., Grenville-Briggs L., Latijnhouwers M., Ligterink W., Meijer H.J.G., Roberts S., Thurber C.S., Whisson S.C., P.R.J. B., Govers F., Kamoun S., van West P. and Windass J. 2008. Gene expression profiling during asexual development of the late blight pathogen Phytophthora infestans reveals a highly dynamic transcriptome. *Molecular Plant-Microbe Interactions*: in press.
- Karlova R., Boeren S., Kwaaitaal M., Aker J., Vervoort J. and de Vries S.C. 2008. Identification of the phosphorylation sites in the Arabidopsis thaliana Somatic Embryogenesis Receptor-like Kinase family. *Proteomics*: in press.
- Keurentjes J., Koornneef M. and Vreugdenhil D. 2008. Quantitative genetics in the age of omics. *Current Opinion in Plant Biology* 11: 123–128.
- Koornneef A. and Pieterse C.M.J. 2008. Cross-talk in defense signaling. *Plant Physiology*: in press.
- Koornneef A. 2008. Cross-talk in plant defense signaling: antagonism between salicylate and jasmonate pathways in Arabidopsis, Utrecht University.
- Lommen W.J.M., Bouwmeester H.J., Schenk E., Verstappen F.W.A. and Elzinga S. 2008 Modelling processes determining and limiting the production of secondary metabolites during crop growth: the example of the antimalarial artemisinin produced in Artemisia annua. In: Gardner G. and Craker L.E. (eds), *Proc. XXVII IHC – Plants as Food and Medicine, Acta Horticulturae* pp. 87-94.
- López-Ráez J.A., Charnikhova T., Gómez-Roldán V., Matusova R., Kohlen W., de Vos R., Verstappen F., Puech-Pages V., Bécard G., Mulder P. and Bouwmeester H.J. 2008. Tomato strigolactones are derived from carotenoids and their biosynthesis is promoted by phosphate starvation. *New Phytologist*: in press.
- Michalopoulos T. 2008. PhD to be finalized in May 2008, Wageningen University.
- Mihaleva V.V., Vorst O., Maliepaard C.A., Verhoeven H.A., de Vos C.H.R., Hall R.D. and van Ham R.C.H.J. 2008. Accurate mass error correction in liquid chromatography time-of-flight mass spectrometry based metabolomics. *Metabolomics*: In press.

- Rani K., Zwanenburg B., Sugimoto Y., Yoneyama K. and Bouwmeester H.J. 2008. Biosynthetic considerations could assist the structure elucidation of host plant produced rhizosphere signalling compounds (strigolactones) for arbuscular mycorrhizal fungi and parasitic plants. *Plant Physiology and Biochemistry*: in press.
- Schijlen E.G.W.M., Beekwilder J., Hall R.D. and Meer I.M.v.d. 2008. Boosting beneficial phytochemicals in vegetable crop plants. *CAB Reviews* 3: April 2008.
- Sicard O., Loudet O., Keurentjes J.J.B., Candresse T., Le Gall O., Revers F. and Decroocq V. 2008. Identification of quantitative trait loci controlling symptom development during viral infection in *Arabidopsis thaliana*. *Molecular Plant-Microbe Interactions* 21: 198-207.
- Sun Z. 2008. Biosynthesis of germination stimulants of parasitic weeds *Striga* and *Orobancha*. Proefschrift Wageningen
Met lit. opg. - Met samenvatting in het Engels en Nederlands, Wageningen University.
- Ten Hove C.A. and Heidstra R. 2008. Who begets whom? Plant cell fate determination by asymmetric cell division. *Current Opinion in Plant Biology* 11: 34-41.
- Ursem R. 2008. PhD to be finished in 2008, Wageningen University.
- Van Berloo R. 2008. GGT 2.0: Versatile Software for Visualization and Analysis of Genetic Data. *Journal Of Heredity*.
- Van Berloo R., Zhu A., Ursem R., Verbakel H., Gort G. and van Eeuwijk F. 2008. Diversity analysis of a diverse set of cultivated tomatoes. *Theor & Appl genet*.
- Van Damme M., Huibers R.P., Elberse J. and Van den Ackerveken G. 2008. *Arabidopsis* DMR6 encodes a putative 2OG-Fe(II) oxygenase that is defense-associated but required for susceptibility to downy mildew. *Plant Journal*: in press.
- Van den Heuvel T., Renes R.J., Gremmen H.G.J., Van Woerkum C.M.J. and Van Trijp J.C.M. 2008. Consumers' images regarding genomics as a tomato breeding technology: "maybe it can provide a more tasty tomato." *Euphytica* 159: 207-216.
- Van den Heuvel T., Renes R.J., Van Trijp H.C.M., Gremmen H.G.J. and Van Woerkum C.M.J. 2008. Consumer judgment regarding genomics: exploring the influence of initial categorization and different modes of thought, *Etmaal van de Wetenschap 2008*, Vrije Universiteit Amsterdam
- Van der Ent S., Verhagen B.W.M., Van Doorn R., Bakker D., Verlaan M.G., Pel M.J.C., Joosten R.G., Proveniers M.C.G., Van Loon L.C., Ton J. and Pieterse C.M.J. 2008. MYB72 is required in early signaling steps of rhizobacteria-induced systemic resistance in *Arabidopsis*. *Plant Physiology*: in press.
- Van der Ent S. 2008. Transcriptional regulators of rhizobacteria-induced systemic resistance, Utrecht University.
- van Dijk A.D.J., Ter Braak C.J.F., Immink R.G., Angenent G.C. and van Ham R. 2008. Predicting and understanding transcription factor interactions based on sequence level determinants of combinatorial control. *Bioinformatics* 24: 26-33.
- van Esse H.P. 2008. *Cladosporium fulvum* effector proteins and their role in pathogen virulence. Proefschrift Wageningen

Met lit. opg. - Met samenvatting in het Engels en Nederlands, Wageningen University.

- van Ooijen G., Mayr G., Albrecht M., Cornelissen B.J.C. and Takken F.L.W. 2008. Transcomplementation, but not physical association of the CC-NB-ARC and LRR domains of tomato R protein Mi-1.2 is altered by mutations in the ARC2 subdomain. *Molecular Plant Pathology*: in press.
- van Ooijen G., Mayr G., Kasiem M.M.A., Albrecht M., Cornelissen B.J.C. and Takken F.L.W. 2008. Mutational analysis of the MHD motif in resistance proteins reveals its functional role as sensor to transduce nucleotide-dependent conformational changes. *Journal Of Experimental Botany*: In press.
- van Ooijen G. 2008. Structure and function of tomato disease resistance proteins, University of Amsterdam.
- Van Poppel P.M.J.A. 2008. Provisional title 'Identification and characterisation of *Phytophthora infestans* PiAvr4 and its role in avirulence on R4 potato, Wageningen University.
- Wang M., Allefs S., van den Berg R.G., Vleeshouwers V.G.A.A., van der Vossen E.A.G. and Vosman B. 2008. Allele mining in *Solanum*: conserved homologues of Rpi-blb1 are identified in *Solanum stoloniferum*. *Theoretical And Applied Genetics*: in press.
- Zhao J., Jamar D., Lou P., Wang Y., Wu J., Wang X., Bonnema G., Koornneef M. and Vreugdenhil D. 2008. QTL analysis of phytate and phosphate content in seeds and leaves of *Brassica rapa*. *Plant Cell Environment*: in press.
- Zhu A. 2008. PhD to be finished end of 2008, Wageningen University.