

REFERENCE LIST:

2005 (97)

- Aharoni A., Jongsma M.A. and Bouwmeester H.J. 2005. Volatile science? Metabolic engineering of terpenoids in plants. *Trends In Plant Science* 10: 594-602.
- Albrecht C., Russinova E., Hecht V., Baaijens E. and de Vries S. 2005. The *Arabidopsis thaliana* SOMATIC EMBRYOGENESIS RECEPTOR-LIKE KINASES1 and 2 control male sporogenesis. *Plant Cell* 17: 3337-3349.
- Alonso-Blanco C., Mendez-Vigo B. and Koornneef M. 2005. From phenotypic to molecular polymorphisms involved in naturally occurring variation of plant development. *International Journal of Developmental Biology* 49: 717-732.
- Alonso-Blanco C., Gomez-Mena C., Llorente F., Koornneef M., Salinas J. and Martinez-Zapater J.M. 2005. Genetic and molecular analyses of natural variation indicate CBF2 as a candidate gene for underlying a freezing tolerance quantitative trait locus in *Arabidopsis*. *Plant Physiology* 139: 1304-1312.
- Altpeter F., Baisakh N., Beachy R., Bock R., Capell T., Christou P., Daniell H., Datta K., Datta S., Dix P.J., Fauquet C., Huang N., Kohli A., Mooibroek H., Nicholson L., Nguyen T.T., Nugent G., Raemakers K., Romano A., Somers D.A., Stoger E., Taylor N. and Visser R. 2005. Particle bombardment and the genetic enhancement of crops: myths and realities. *Molecular Breeding* 15: 305-327.
- Angenent G.C., Stuurman J., Snowden K.C. and Koes R. 2005. Use of *Petunia* to unravel plant meristem functioning. *Trends In Plant Science* 10: 243-250.
- Bai Y.L., Van der Hulst R., Bonnema G., Marcel T.C., Meijer-Dekens F., Niks R.E. and Lindhout P. 2005. Tomato defense to *Oidium neolycopersici*: Dominant Ol genes confer isolate-dependent resistance via a different mechanism than recessive ol-2 (vol 18, pg 354, 2005). *Molecular Plant-Microbe Interactions* 18: 508-508.
- Bai Y. and Lindhout P. 2005. New challenges for durable breeding in tomato, Proceeding of XV Meeting of the EUCARPIA Tomato Working Group, Bari, Italy. September 2005
- Bakker E., Tomczak A., Golas T., Achenbach A., Huang S., Van Eck H., Van der Vossen E., Bakker J. and Goverse A. 2005. Op weg naar de identificatie van het aardappelmoehedsresistentiegen H1 in aardappel., *Gewasbescherming 36 Supplement gewasbeschermingsmanifestatie* pp. 82.
- Bakker E.H., Dees R.H.L., Bakker J. and Goverse A. 2005 Mechanisms Involved in Plant Resistance to Nematodes. In: Tuzun S. and Bent E. (eds), *Multigenic and induced systemic resistance in plants*, Springer. pp. 314-334.
- Beekwilder J., Jonker H., Meesters P., Hall R.D., Van der Meer I.M. and De Vos C.H.R. 2005. Antioxidants in raspberry: On-line analysis links antioxidant activity to a diversity of individual metabolites. *Journal of Agricultural and Food Chemistry* 53: 3313-3320.
- Beekwilder J., Hall R.D. and de Vos C.H.R. 2005. Identification and dietary relevance of antioxidants from raspberry. *Biofactors* 23: 197-205.

- Bino R.J. and Hall R.D. 2005. Plant Metabolomics: Biomarkers! Biomarkers!. BioForum Europe.
- Bino R.J., De Vos C.H.R., Lieberman M., Hall R.D., Bovy A., Jonker H.H., Tikunov Y., Lommen A., Moco S. and Levin I. 2005. The light-hyperresponsive high pigment-2(dg) mutation of tomato: alterations in the fruit metabolome. *New Phytologist* 166: 427-438.
- Blilou I., Xu J., Wildwater M., Willemsen V., Paponov I., Friml J., Heidstra R., Aida M., Palme K. and Scheres B. 2005. The PIN auxin efflux facilitator network controls growth and patterning in *Arabidopsis* roots. *Nature* 433: 39-44.
- Borras-Hidalgo O., Thomma B., Carmona E., Borroto C.J., Pujol M., Arencibia A. and Lopez J. 2005. Identification of sugarcane genes induced in disease-resistant somaclones upon inoculation with *Ustilago scitaminea* or *Bipolaris sacchari*. *Plant Physiology and Biochemistry* 43: 1115-1121.
- Butterbach P., Bakker E., Bakker J. and Govers A. 2005. Evolutie van resistentiegenen in *Solanum* soorten: Een evolutionaire 'arms race' of een 'trench warfare', pp. 74 *Gewasbescherming*, Vol. 36.
- Chen Q., Rehman S., Smant G. and Jones J.T. 2005. Functional analysis of pathogenicity proteins of the potato cyst nematode *Globodera rostochiensis* using RNAi. *Molecular Plant-Microbe Interactions* 18: 621-625.
- Collazo C., Ramos P.L., Chacon O., Borroto C.J., Lopez Y., Pujol M., Thomma B., Hein I. and Borras-Hidalgo O. 2005. Phenotypical and molecular characterization of the Tomato mottle Taino virus-*Nicotiana megalosiphon* interaction. *Physiological and Molecular Plant Pathology* 67: 231-236.
- De Folter S., Immink R.G.H., Kieffer M., Parenicova L., Henz S.R., Weigel D., Busscher M., Kooiker M., Colombo L., Kater M.M., Davies B. and Angenent G.C. 2005. Comprehensive interaction map of the *Arabidopsis* MADS box transcription factors. *Plant Cell* 17: 1424-1433.
- De Vos M., Van Oosten V.R., Van Poecke R.M.P., Van Pelt J.A., Pozo M.J., Mueller M.J., Buchala A.J., Metraux J.P., Van Loon L.C., Dicke M. and Pieterse C.M.J. 2005. Signal signature and transcriptome changes of *Arabidopsis* during pathogen and insect attack. *Molecular Plant-Microbe Interactions* 18: 923-937.
- El-Lithy M.E., Rodrigues G.C., van Rensen J.J.S., Snel J.F.H., Dassen H., Koornneef M., Jansen M.A.K., Aarts M.G.M. and Vreugdenhil D. 2005. Altered photosynthetic performance of a natural *Arabidopsis* accession is associated with atrazine resistance. *Journal Of Experimental Botany* 56: 1625-1634.
- El-Lithy M.E. 2005. *Plant Performance: a physiological and genetic analysis using Arabidopsis thaliana* natural variation, Wageningen University, Wageningen, The Netherlands.
- Fiers M., Golemic E., Xu J., van der Geest L., Heidstra R., Stiekema W. and Liu C.M. 2005. The 14-amino acid CLV3, CLE19, and CLE40 peptides trigger consumption of the root meristem in *Arabidopsis* through a CLAVATA2-dependent pathway. *Plant Cell* 17: 2542-2553.
- Gomez-Mena C., De Folter S., Costa M.M.R., Angenent G.C. and Sablowski R. 2005. Transcriptional program controlled by the floral homeotic gene *AGAMOUS* during early organogenesis. *Development* 132: 429-438.
- Govers F. 2005 Late blight: the perspective from the pathogen. In: Haverkort A.J. and Struik P.C. (eds), *Potato in progress: science meets practice* Wageningen Academic Publishers, Wageningen. pp.

245-254.

- Goverse A., Bakker E., Tomczak A., Golas T., Achenbach U., Huang S., Van Eck H., Van der Vossen E. and Bakker J. 2005. Towards the cloning of the H1 gene, Proceedings EAPR meeting Bilbao, Spain
- Graffelman J. and van Eeuwijk F. 2005. Calibration of multivariate scatter plots for exploratory analysis of relations within and between sets of variables in genomic research. *Biometrical Journal* 47: 863-879.
- Guo J., Weide R., Qu D., Wang X., Xie K. and Govers F. 2005. Two AFLP markers tightly linked to avirulence gene *Avr1* in *Phytophthora infestans*. *Scientia Agricultura Sinica* 38(9): 1801-1804.
- Guo J., Qu D., Wang X., Jin L., Xie K., Jiang R.H.Y. and Govers F. 2005. Identification of candidate expressed sequences associated with race-specific avirulence genes by cDNA-amplified fragment length polymorphism. *Acta Horticulturae Sinica* 32(1): 44-48.
- Hall R.D., De Vos C.H.R., Verhoeven H.A. and Bino R.J. 2005 Metabolomics for the assessment of functional diversity and quality traits in plants. In: Vaidyanathan S., et al. (eds), *Metabolic profiling*, Springer, Netherlands pp. 31 - 44.
- Huang S.W., Van der Vossen E.A.G., Kuang H.H., Vleeshouwers V., Zhang N.W., Borm T.J.A., Van Eck H.J., Baker B., Jacobsen E. and Visser R.G.F. 2005. Comparative genomics enabled the isolation of the R3a late blight resistance gene in potato. *Plant Journal* 42: 251-261.
- Huang S. 2005. The discovery and characterization of the major late blight resistance complex in potato. Thesis, Wageningen University.
- Huang S., Vleeshouwers V.G.A.A., Visser R.G.F. and Jacobsen E. 2005. An accurate in vitro assay for high-throughput disease testing of *Phytophthora infestans* in potato. *Plant Disease* 89: 1263-1267.
- Huitema E., Vleeshouwers V.G.A.A., Cakir C., Kamoun S. and Govers F. 2005. Differences in intensity and specificity of hypersensitive response induction in *Nicotiana* spp. by *INN*, *INF2A*, and *INF2B* of *Phytophthora infestans*. *Molecular Plant-Microbe Interactions* 18: 183-193.
- Jakab G., Ton J., Flors V., Zimmerli L., Metraux J.P. and Mauch-Mani B. 2005. Enhancing *Arabidopsis* salt and drought stress tolerance by chemical priming for its abscisic acid responses. *Plant Physiology* 139: 267-274.
- Jiang R.H.Y., Dawe A.L., Weide R., Van Staveren M., Peters S., Nuss D.L. and Govers F. 2005. Elicitor genes in *Phytophthora infestans* are clustered and interspersed with various transposon-like elements. *Molecular Genetics And Genomics* 273: 20-32.
- Jongenburger B., Dekker M., Van den Heuvel T. and Van Boekel M.A.J.S. 2005. Bayesian Belief Networks as a tool for Consumer Oriented Food Product Design, Book of abstracts of `Lerende Oplossingen, Nijmegen, The Netherlands. pp. 25-26.
- Juenger T.E., McKay J.K., Hausmann N., Keurentjes J.J.B., Sen S., Stowe K.A., Dawson T.E., Simms E.L. and Richards J.H. 2005. Identification and characterization of QTL underlying whole-plant physiology in *Arabidopsis thaliana*: delta C-13, stomatal conductance and transpiration efficiency. *Plant Cell And Environment* 28: 697-708.

- Kantama L. 2005. Chromosome studies and genetic analysis of natural and synthetic apomictic model species, Wageningen University, Wageningen.
- Kappers I.F., Aharoni A., van Herpen T., Luckerhoff L.L.P., Dicke M. and Bouwmeester H.J. 2005. Genetic engineering of terpenoid metabolism attracts bodyguards to Arabidopsis. *Science* 309: 2070-2072.
- Kloosterman B., Vorst O., Hall R.D., Visser R.G.F. and Bachem C.W. 2005. Tuber on a chip: differential gene expression during potato tuber development. *Plant Biotechnology Journal* 3: 505-519.
- Kok-Jacon G.A., Vincken J.P., Suurs L.C.J.M. and Visser R.G.F. 2005. Mutan produced in potato amyloplasts adheres to starch granules. *Plant Biotechnology Journal* 3: 341-351.
- Kok-Jacon G.A., Vincken J.P., Suurs L., Wang D.N., Liu S.Y. and Visser R.G.F. 2005. Production of dextran in transgenic potato plants. *Transgenic Research* 14: 385-395.
- Kolbe A., Tiessen A., Schluempmann H., Paul M., Ulrich S. and Geigenberger P. 2005. Trehalose 6-phosphate regulates starch synthesis via posttranslational redox activation of ADP-glucose pyrophosphorylase. *Proceedings Of The National Academy Of Sciences Of The United States Of America* 102: 11118-11123.
- Kruijt M., De Kock M.J.D. and De Wit P. 2005. Receptor-like proteins involved in plant disease resistance - Review. *Molecular Plant Pathology* 6: 85-97.
- Kudla U., Qin L., Milac A., Kielak A., Maissen C., Overmars H., Popeijus H., Roze E., Petrescu A., Smart G., Bakker J. and Helder J. 2005. Origin, distribution and 3D-modeling of Gr-EXPB1, an expansin from the potato cyst nematode *Globodera rostochiensis*. *Febs Letters* 579: 2451-2457.
- Kwaaitaal M., de Vries S.C. and Russinova E. 2005. Arabidopsis thaliana Somatic Embryogenesis Receptor Kinase 1 protein is present in sporophytic and gametophytic cells and undergoes endocytosis. *Protoplasma* 226: 55-65.
- Leon-Kloosterziel K.M., Verhagen B.W.M., Keurentjes J.J.B., Van Pelt J.A., Rep M., Van Loon L.C. and Pieterse C.M.J. 2005. Colonization of the Arabidopsis rhizosphere by fluorescent *Pseudomonas* spp. activates a root-specific, ethylene-responsive PR-5 gene in the vascular bundle. *Plant Molecular Biology* 57: 731-748.
- Lievens B., Grauwet T.J.M.A., Cammue B.P.A. and Thomma B.P.H.J. 2005 Recent developments in diagnostics of plant pathogens. In: S.G. Pandalai S.G. (ed), *Recent Research Developments in Microbiology, Kerala, India*. pp. 57-79.
- Lievens B., Brouwer M., Vanachter A.C.R.C., Levesque C.A., Cammue B.P.A. and Thomma B.P.H.J. 2005. Quantitative assessment of phytopathogenic fungi in various substrates using a DNA macroarray. *Environmental Microbiology* 7: 1698-1710.
- Martin I., Dopico B., Munoz F.J., Esteban R., Oomen R., Driouich A., Vincken J.P., Visser R. and Labrador E. 2005. In vivo expression of a *Cicer arietinum* beta-galactosidase in potato tubers leads to a reduction of the galactan side-chains in cell wall pectin. *Plant and Cell Physiology* 46: 1613-1622.
- Matusova R., Rani K., Verstappen F.W.A., Franssen M.C.R., Beale M.H. and Bouwmeester H.J. 2005. The strigolactone germination stimulants of the plant-parasitic *Striga* and *Orobanche* spp. are derived from the carotenoid pathway. *Plant Physiology* 139: 920-934.

- Meijer H.J.G., Latijnhouwers M., Ligterink W. and Govers F. 2005. A transmembrane phospholipase D in *Phytophthora*; a novel PLD subfamily. *Gene* 350: 173-182.
- Mordhorst A.P., Charbit E. and De Vries S.C. 2005 Somatic Embryogenesis. In: Trigiano R. and Gray R. (eds), *Plant Development and Biotechnology*, CRC Press LLC, Boca Raton, Florida, USA. pp. 201-209.
- Mueller L.A., Tanksley S.D., Giovannoni J.J., Van Eck J., Stack S., Choi D., Kim B.D., Chen M.S., Cheng Z.K., Li C.Y., Ling H.Q., Xue Y.B., Seymour G., Bishop G., Bryan G., Sharma R., Khurana J., Tyagi A., Chattopadhyay D., Singh N.K., Stiekema W., Lindhout P., Jesse T., Lankhorst R.K., Bouzayen M., Shibata D., Tabata S., Granell A., Botella M.A., Giullano G., Frusciante L., Causse M. and Zamir D. 2005. The Tomato Sequencing Project, the first cornerstone of the International Solanaceae Project (SOL). *Comparative And Functional Genomics* 6: 153-158.
- Neerinx P.B.T. and Leunissen J.A.M. 2005. Evolution of web services in bioinformatics. *Briefings in Bioinformatics* 6: 178-188.
- Park T.H. 2005. Identification, characterization and high-resolution mapping of resistance genes to *Phytophthora infestans* in potato, Wageningen University.
- Park T.H., Vleeshouwers V., Hutten R.C.B., van Eck H.J., van der Vossen E., Jacobsen E. and Visser R.G.F. 2005. High-resolution mapping and analysis of the resistance locus Rpi-abpt against *Phytophthora infestans* in potato. *Molecular Breeding* 16: 33-43.
- Park T.H., Vleeshouwers V.G.A.A., Huigen D.J., Van der Vossen E.A.G., Van Eck H.J. and Visser R.G.F. 2005. Characterization and high-resolution mapping of a late blight resistance locus similar to R2 in potato. *Theoretical And Applied Genetics* 111: 591-597.
- Park T.H., Vleeshouwers V., Kim J.B., Hutten R.C.B. and Visser R.G.F. 2005. Dissection of foliage and tuber late blight resistance in mapping populations of potato. *Euphytica* 143: 75-83.
- Park T.H., Gros J., Sikkema A., Vleeshouwers V., Muskens M., Allefs S., Jacobsen E., Visser R.G.F. and Van der Vossen E.A.G. 2005. The late blight resistance locus Rpi-blb3 from *Solanum bulbocastanum* belongs to a major late blight R gene cluster on chromosome 4 of potato. *Molecular Plant-Microbe Interactions* 18: 722-729.
- Pieterse C.M.J., Van Pelt J.A., Van Wees S.C.M., Verhagen T.J., Léon-Kloosterziel B.W.M., Hase K., De Vos S., Van Oosten M., Pozo V., Spoel M., Van der Ent S., Koornneef A., Chalfun-Junior A., Resende M.L.V. and Van Loon L.C. 2005. Indução de resistência sistêmica por rizobactérias e comunicação na rota de sinalização para uma defesa refinada. *Revisao Anual de Patologia de Plantes* 13: 277-999.
- Randall T.A., Dwyer R.A., Huitema E., Beyer K., Cvitanich C., Kelkar H., Fong A., Gates K., Roberts S., Yatzkan E., Gaffney T., Law M., Testa A., Torto-Alalibo T., Zhang M., Zheng L., Mueller E., Windass J., Binder A., Birch P.R.J., Gisi U., Govers F., Gow N.A., Mauch F., van West P., Waugh M.E., Yu J., Boller T., Kamoun S., Lam S.T. and Judelson H.S. 2005. Large-scale gene discovery in the oomycete *Phytophthora infestans* reveals likely components of phytopathogenicity shared with true fungi. *Molecular Plant-Microbe Interactions* 18: 229-243.
- Ren X.Y., Fiers M., Stiekema W.J. and Nap J.P. 2005. Local coexpression domains of two to four genes in the genome of *Arabidopsis*. *Plant Physiology* 138: 923-934.
- Rep M., Meijer M., Houterman P.M., van der Does H.C. and Cornelissen B.J.C. 2005. *Fusarium oxysporum*

- evades I-3-mediated resistance without altering the matching avirulence gene. *Molecular Plant-Microbe Interactions* 18: 15-23.
- Rienties I.M., Vink J., Borst J.W., Russinova E. and de Vries S.C. 2005. The Arabidopsis SERK1 protein interacts with the AAA-ATPase AtCDC48, the 14-3-3 protein GF14 lambda and the PP2C phosphatase KAPP. *Planta* 221: 394-405.
- Ritsema T., Verhaar A., Vijn I. and Smeekens S. 2005. Using natural variation to investigate the function of individual amino acids in the sucrose-binding box of fructan : fructan 6G-fructosyltransferase (6G-FFT) in product formation. *Plant Molecular Biology* 58: 597-607.
- Rooney H.C.E., Van 't Klooster J.W., Van der Hoorn R.A.L., Joosten M., Jones J.D.G. and De Wit P.J.G.M. 2005. *Cladosporium Avr2* inhibits tomato Rcr3 protease required for Cf-2-dependent disease resistance. *Science* 308: 1783-1786.
- Saldarelli P., Keller H., Dell'Orco M., Schots A., Elicio V. and Minafra A. 2005. Isolation of recombinant antibodies (scFvs) to grapevine virus B. *Journal Of Virological Methods* 124: 191-195.
- Siezen R.J., Renckens B., Van Swam I., Peters S., Van Kranenburg R., Kleerebezem M. and De Vos W.M. 2005. Complete sequences of four plasmids of *Lactococcus lactis* subsp *cremoris* SK11 reveal extensive adaptation to the dairy environment. *Applied and Environmental Microbiology* 71: 8371-8382.
- Staats M., Van Baarlen P. and Van Kan J.A.L. 2005. Molecular phylogeny of the plant pathogenic genus *Botrytis* and the evolution of host specificity. *Molecular Biology And Evolution* 22: 333-346.
- Takken F.L.W. 2005. Overeenkomsten en verschillen in ziekteresistentie tussen plant en dier, pp. 262 *Gewasbescherming*, Vol. 36.
- Takken F.L.W., Tameling W.I.L., de la Fuente van Bentem S., van Ooijen G., de Vries K.J., Vroomen M. and Cornelissen B.J.C. 2005. R proteins: molecular switches of disease resistance signalling, pp. 262: 57 *Gewasbescherming*, Vol. Supplement editie 36.
- Teng S., Keurentjes J., Bentsink L., Koornneef M. and Smeekens S. 2005. Sucrose-specific induction of anthocyanin biosynthesis in *Arabidopsis* requires the MYB75/PAP1 gene. *Plant Physiology* 139: 1840-1852.
- Thelen J., Harbinson J., Jansen R., Van Straten G., Posthumus M.A., Woltering E.J. and Bouwmeester H.J. 2005. The sesquiterpene α -copaene is induced in tomato leaves infected by *Botrytis cinerea*. *Journal of Plant Interactions* 1: 163-170.
- Thomma B.P.H.J., Van Esse H.P., Crous P.W. and De Wit P.J.G.M. 2005. *Cladosporium fulvum* (syn. *Passalora fulva*), a highly specialized plant pathogen as a model for functional studies on plant pathogenic *Mycosphaerellaceae*. *Molecular Plant Pathology* 6: 379-393.
- Tikunov Y., Verstappen F.W.A. and Hall R. 2005 Metabolic profiling of natural volatiles: head space trapping – GC/MS. In: Weckwerth W. (ed), *Metabolomics Technologies*, Humana Press
- Tikunov Y., Lommen A., De Vos C.H.R., Verhoeven H.A., Bino R.J., Hall R.D. and Bovy A.G. 2005. A novel approach for nontargeted data analysis for metabolomics. Large-scale profiling of tomato fruit volatiles. *Plant Physiology* 139: 1125-1137.
- Ton J., Jakab G., Toquin V., Flors V., Iavicoli A., Maeder M.N., Mettraux J.P. and Mauch-Mani B. 2005.

- Dissecting the beta-aminobutyric acid-induced priming phenomenon in arabidopsis. *Plant Cell* 17: 987-999.
- Tonsor S.J., Alonso-Blanco C. and Koornneef M. 2005. Gene function beyond the single trait: natural variation, gene effects, and evolutionary ecology in *Arabidopsis thaliana*. *Plant Cell And Environment* 28: 2-20.
- Trindade L.M., Van Berloo R., Fiers M. and Visser R.G.F. 2005. PRECISE: Software for prediction of cis-acting regulatory elements. *Journal Of Heredity* 96: 618-622.
- Van Bentem S.D.F., Vossen J.H., De Vries K.J., Van Wees S., Tameling W.I.L., Dekker H.L., De Koster C.G., Haring M.A., Takken F.L.W. and Cornelissen B.J.C. 2005. Heat shock protein 90 and its co-chaperone protein phosphatase 5 interact with distinct regions of the tomato I-2 disease resistance protein. *Plant Journal* 43: 284-298.
- Van Berloo R. and Hutten R.C.B. 2005. Peditree: Pedigree database analysis and visualization for breeding and science. *Journal Of Heredity* 96: 465-468.
- Van Damme M., Andel A., Huibers R.P., Panstruga R., Weisbeek P.J. and Van den Ackerveken G. 2005. Identification of *Arabidopsis* loci required for susceptibility to the downy mildew pathogen *Hyaloperonospora parasitica*. *Molecular Plant-Microbe Interactions* 18: 583-592.
- Van den Heuvel T., Van Trijp J.C.M., Van Woerkum C.M.J., Renes R.J. and Gremmen H.G.J. 2005. The role of credence attributes in linking product offering to consumer needs, *Economics and Social Science Research in Food, Agriculture, Environment and Development*, PhD workshop organised by EAAE and Mansholt Graduate School, Wageningen, The Netherlands
- Van der Hoorn R.A.L., Wulff B.B.H., Rivas S., Durrant M.C., Van der Ploeg A., De Wit P.J.G.M. and Jones J.D.G. 2005. Structure-function analysis of Cf-9, a receptor-like protein with extracytoplasmic leucine-rich repeats. *Plant Cell* 17: 1000-1015.
- Van Driel M.A., Cuelenaere K., Kemmeren P., Leunissen J.A.M., Brunner H.G. and Vriend G. 2005. GeneSeeker: extraction and integration of human disease-related information from web-based genetic databases. *Nucleic Acids Research* 33: W758-W761.
- Van Oers M.M., Abma-Henkens M.H.C., Herniou E.A., De Groot J.C.W., Peters S. and Vlak J.M. 2005. Genome sequence of *Chrysodeixis chalcites* nucleopolyhedrovirus, a baculovirus with two DNA photolyase genes. *Journal Of General Virology* 86: 2069-2080.
- Van Os H., Stam P., Visser R.G.F. and Van Eck H.J. 2005. RECORD: a novel method for ordering loci on a genetic linkage map. *Theoretical And Applied Genetics* 112: 30-40.
- van Os H., Stam P., Visser R.G.F. and van Eck H.J. 2005. SMOOTH: a statistical method for successful removal of genotyping errors from high-density genetic linkage data. *Theoretical And Applied Genetics* 112: 187-194.
- Vorst O.F.J., De Vos C.H., Lommen A., Staps R.V., Visser R.G.F., Bino R.J. and Hall R.D. 2005. A non-directed approach to the differential analysis of multiple LC-MS-derived metabolic profiles. *Metabolomics* 1: 169-180.
- Vreugdenhil D., Aarts M.G.M. and Koornneef M. 2005 Exploring natural variation to improve plant nutrient content. In: Broadley M. and White P. (eds), *Plant Nutritional Genomics*, Blackwell. pp. 201-219.

- Wiese A., Elzinga N., Wobbes B. and Smeekens S. 2005. Sucrose-induced translational repression of plant bZIP-type transcription factors. *Biochemical Society Transactions* 33: 272-275.
- Wildwater M., Campilho A., Manuel Perez-Perez J., Heidstra R., Blilou I., Korthout H., Chatterjee J., Mariconti L., Grissem W. and Scheres B. 2005. The RETINOBLASTOMA-RELATED Gene Regulates Stem Cell Maintenance in Arabidopsis Roots *Cell* 123: 137-1349
- Wittenberg A.H.J., van der Lee T., Cayla C., Kilian A., Visser R.G.F. and Schouten H.J. 2005. Validation of the high-throughput marker technology DArT using the model plant *Arabidopsis thaliana*. *Molecular Genetics And Genomics* 274: 30-39.
- Zhao J.J., Wang X.W., Deng B., Lou P., Wu J., Sun R.F., Xu Z.Y., Vromans J., Koornneef M. and Bonnema G. 2005. Genetic relationships within *Brassica rapa* as inferred from AFLP fingerprints. *Theoretical And Applied Genetics* 110: 1301-1314.