

REFERENCE LIST:

2003 (67)

Aarts M.G.M. and Fiers M. 2003. What drives plant stress genes? *Trends In Plant Science* 8: 99-102.

Aharoni A., Giri A.P., Deurerlein S., Griepink F., De Kogel W.J., Verstappen F.W.A., Verhoeven H.A., Jongsma M.A., Schwab W. and Bouwmeester H.J. 2003. Terpenoid metabolism in wild-type and transgenic *Arabidopsis* plants. *Plant Cell* 15: 2866-2884.

Bai Y.L., Huang C.C., Van der Hulst R., Meijer-Dekens F., Bonnema G. and Lindhout P. 2003. QTLs for tomato powdery mildew resistance (*Oidium lycopersici*) in *Lycopersicon parviflorum* G1.1601 co-localize with two qualitative powdery mildew resistance genes. *Molecular Plant-Microbe Interactions* 16: 169-176.

Bakker E., Butterbach P., Rouppe van der Voort J., Van der Vossen E., Van Vliet J., Bakker J. and Govere A. 2003. Genetic and physical mapping of homologues of the virus resistance gene Rx1 and the cyst nematode resistance gene Gpa2 in potato. *Theoretical And Applied Genetics* 106: 1524-1531.

Bentsink L., Yuan K., Koornneef M. and Vreugdenhil D. 2003. The genetics of phytate and phosphate accumulation in seeds and leaves of *Arabidopsis thaliana*, using natural variation. *Theoretical And Applied Genetics* 106: 1234-1243.

Bouwmeester H.J., Matusova R., Sun Z.K. and Beale M.H. 2003. Secondary metabolite signalling in host-parasitic plant interactions. *Current Opinion in Plant Biology* 6: 358-364.

Brouwer M., Lievens B., Van Hemelrijck W., Van den Ackerveken G., Cammue B.P.A. and Thomma B. 2003. Quantification of disease progression of several microbial pathogens on *Arabidopsis thaliana* using real-time fluorescence PCR. *Fems Microbiology Letters* 228: 241-248.

Brugmans B., van der Hulst R.G.M., Visser R.G.F., Lindhout P. and van Eck H.J. 2003. A new and versatile method for the successful conversion of AFLP (TM) markers into simple single locus markers. *Nucleic Acids Research* 31.

Casamitjana-Martinez E., Hofhuis H.F., Xu J., Liu C.M., Heidstra R. and Scheres B. 2003. Root-specific CLE19 overexpression and the *sol1/2* suppressors implicate a CLV-like pathway in the control of *Arabidopsis* root meristem maintenance. *Current Biology* 13: 1435-1441.

Celis-Gamboa C., Struik P.C., Jacobsen E. and Visser R.G.F. 2003. Temporal dynamics of tuber formation and related processes in a crossing population of potato (*Solanum tuberosum*). *Annals Of Applied Biology* 143: 175-186.

Clerkx E.J.M., Blankestijn-De Vries H., Ruys G.J., Groot S.P.C. and Koornneef M. 2003. Characterization of green seed, an enhancer of *abi3-1* in *Arabidopsis* that affects seed longevity. *Plant Physiology* 132: 1077-1084.

Conner A.J., Glare T.R. and Nap J.P. 2003. The release of genetically modified crops into the environment - Part II. Overview of ecological risk assessment. *Plant Journal* 33: 19-46.

De Jong C.F. 2003. Cf-afhankelijke afweerreacties, geïnduceerd door avirulentie-eiwitten van het

- tomatenpathogeen *Cladosporium fulvum* ofwel: Koude fataal voor zelfmoordtomaat, pp. 50-53 *Gewasbescherming*, Vol. 34(2).
- De Vetten N., Wolters A.M., Raemakers K., Van der Meer I., Ter Stege R., Heeres E., Heeres P. and Visser R. 2003. A transformation method for obtaining marker-free plants of a cross-pollinating and vegetatively propagated crop. *Nature Biotechnology* 21: 439-442.
- Denekamp M. and Smeekens S.C. 2003. Integration of wounding and osmotic stress signals determines the expression of the AtMYB102 transcription factor gene. *Plant Physiology* 132: 1415-1423.
- Femia A.P., Caderni G., Ianni M., Salvadori M., Schijlen E., Collins G., Bovy A. and Dolara P. 2003. Effect of diets fortified with tomatoes or onions with variable quercetin-glycoside content on azoxymethane-induced aberrant crypt foci in the colon of rats. *European Journal Of Nutrition* 42: 346-352.
- Gremmen B. 2003. The Interpretation of Genomics, Proceedings of the fourth conference on Hermeneutics and Science. Elte, Budapest
- Gremmen B. and Jacobs J. 2003. Co-creation in plantgenomics, Ethics as a Dimension of Agrifood Policy, 4th congress of EURSAFE, Toulouse, France. pp. 159-161.
- Hall R.D. 2003. Microbial genomics opportunities for the food industry, pp. 24-26 *Innovations in Food Technology*.
- Isidore E., Van Os H., Andrzejewski S., Bakker J., Barrena I., Bryan G.J., Caromel B., Van Eck H., Ghareeb B., De Jong W., Van Koert P., Lefebvre V., Milbourne D., Ritter E., Van der Voort J.R., Rousselle-Bourgeois F., Van Vliet J. and Waugh R. 2003. Toward a marker-dense meiotic map of the potato genome: Lessons from linkage group I. *Genetics* 165: 2107-2116.
- Jacobs J. 2003. Agriculture Genomics and The General Public. The public translation of sustainability as a social norm., Ethics as a Dimension of Agrifood Policy, 4th congress of EURSAFE, Toulouse, France. pp. 112-115.
- Jasmer D.P., Govere A. and Smart G. 2003. Parasitic nematode interactions with mammals and plants. *Annual Review of Phytopathology* 41: 245-270.
- Jones J.T., Furlanetto C., Bakker E., Banks B., Blok V., Chen Q., Phillips M. and Prior A. 2003. Characterization of a chorismate mutase from the potato cyst nematode *Globodera pallida*. *Molecular Plant Pathology* 4: 43-50.
- Kleerebezem M., Boekhorst J., Van Kranenburg R., Molenaar D., Kuipers O.P., Leer R., Turchini R., Peters S.A., Sandbrink H.M., Fiers M., Stiekema W., Lankhorst R.M.K., Bron P.A., Hoffer S.M., Groot M.N.N., Kerkhoven R., De Vries M., Ursing B., De Vos W.M. and Siezen R.J. 2003. Complete genome sequence of *Lactobacillus plantarum* WCFS1. *Proceedings Of The National Academy Of Sciences Of The United States Of America* 100: 1990-1995.
- Kok-Jacon G.A., Ji Q., Vincken J.P. and Visser R.G.F. 2003. Towards a more versatile alpha-glucan biosynthesis in plants. *Journal of Plant Physiology* 160: 765-777.
- Latijnhouwers M., De Wit P.J.G.M. and Govers F. 2003. Oomycetes and fungi: similar weaponry to attack plants. *Trends In Microbiology* 11: 462-469.
- Latijnhouwers M. and Govers F. 2003. A *Phytophthora infestans* G-protein beta subunit is involved in

sporangium formation. *Eukaryotic Cell* 2: 971-977.

- Latijnhouwers M. 2003. De rol van heterotrimere G-eiwitten in de ontwikkeling en virulentie van *Phytophthora infestans*, pp. 171-174 *Gewasbescherming*.
- Latijnhouwers M. 2003. The role of heterotrimeric G-proteins in development and virulence of *Phytophthora infestans*, Wageningen University.
- Mlynarova L., Hricova A., Loonen A. and Nap J.P. 2003. The presence of a chromatin boundary appears to shield a transgene in tobacco from RNA silencing. *Plant Cell* 15: 2203-2217.
- Mlynarova L. and Nap J.P. 2003. A self-excising Cre recombinase allows efficient recombination of multiple ectopic heterospecific lox sites in transgenic tobacco. *Transgenic Research* 12: 45-57.
- Moravcikova J., Libantova J., Matusikova I., Libiakova G., Nap J.P. and Mlynarova L. 2003. Genetic transformation of Slovak cultivar of potato (*Solanum tuberosum* L.): efficiency and the behaviour of the transgene. *Biologia* 58: 1075-1080.
- Nap J.P., Metz P.L.J., Escaler M. and Conner A.J. 2003. The release of genetically modified crops into the environment - Part I. Overview of current status and regulations. *Plant Journal* 33: 1-18.
- Nap J.P. 2003. De kleren van de keizer. Heeft de biotech-discussie in Nederland wat om het lijf gehad?, pp. 191-192, 27-3 *Spil*.
- Nap J.P. 2003 The science of biosafety of genetically modified plants: the good, the bad and the bogus. Issue Symposium 'Biotechnology approaches for exploitation and preservation of plant resources', Collected Scientific Works of Nikitsky Botanical Garden, Yalta, Crimea, Ukraina. pp. 45-51.
- Oomen R., Bergervoet M., Bachem C.W.B., Visser R.G.F. and Vincken J.P. 2003. Exploring the use of cDNA-AFLP with leaf protoplasts as a tool to study primary cell wall biosynthesis in potato. *Plant Physiology and Biochemistry* 41: 965-971.
- Oomen R.J.F., Vincken J.P., Bush M.S., Skjot M., Doeswijk-Voragen C.H.L., Ulvskov P., Voragen A.G.J., McCann M.C. and Visser R.G.F. 2003 Towards unraveling the biological significance of the individual components of pectic hairy regions in plants. In: Voragen A.G.J., et al. (eds), *Advances in pectin and pectinase research*, Kluwer Academic publishers, Dordrecht. pp. 15-34.
- Pozo M.J., Van Loon L.C. and Pieterse C.M.J. 2003. Boosting plant defence by beneficial soil microorganisms, *Proceedings of the Marie Curie Fellowships Workshop, Petten, The Netherlands. 11 September 2003.* pp. 158-161.
- Rienties I.M. 2003. Proteins interacting with the *Arabidopsis thaliana* Somatic Embryogenesis Receptor-like Kinase 1, Wageningen University.
- Ritsema T. and Smeekens S. 2003. Fructans: beneficial for plants and humans. *Current Opinion in Plant Biology* 6: 223-230.
- Ritsema T., Joling J. and Smeekens S. 2003. Patterns of fructan synthesized by onion fructan : fructan 6G-fructosyltransferase expressed in tobacco BY2 cells - is fructan : fructan 1-fructosyltransferase needed in onion? *New Phytologist* 160: 61-67.
- Ritsema T. and Smeekens S.C.M. 2003. Engineering fructan metabolism in plants. *Journal of Plant Physiology* 160: 811-820.

- Romano A., Raemakers K., Bernardi J., Visser R. and Mooibroek H. 2003. Transgene organisation in potato after particle bombardment-mediated (co-)transformation using plasmids and gene cassettes. *Transgenic Research* 12: 461-473.
- Romano A., Vincken J.P., Raemakers K., Mooibroek H. and Visser R.G.F. 2003 Potato genetic transformation and its application in polymer modification. In: Singh R. and Jaiwal P. (eds), *Plant Genetic Engineering: improvement of Commercial Crops*, Sci-Tech Publishing company Houston USA 3, Houston, USA. pp. 55-91.
- Smant G., Qin L., Goverse A., Schots A., Helder J. and Bakker J. 2003 Gene Discovery in Sedentary Plant-Parasitic Nematodes. In: Stacey G. and Keen N.T. (eds), *Plant-Microbe Interactions The American Phytopathological Society*: St. Paul, Minnesota, USA. pp. 285-307.
- Snoeijsers S.S., Perez-Garcia A., Goosen T. and De Wit P.J.G.M. 2003. Promoter analysis of the avirulence gene Avr9 of the fungal tomato pathogen *Cladosporium fulvum* in the model filamentous fungus *Aspergillus nidulans*. *Current Genetics* 43: 96-102.
- Stuitje A.R., Verbree E.C., Van der Linden K.H., Mietkiewska E.M., Nap J.P. and Kneppers T.J.A. 2003. Seed-expressed fluorescent proteins as versatile tools for easy (co)transformation and high-throughput functional genomics in *Arabidopsis*. *Plant Biotechnology Journal* 1: 301-309.
- Thomma B. 2003. *Alternaria* spp.: from general saprophyte to specific parasite. *Molecular Plant Pathology* 4: 225-236.
- Trindade L.M., Horvath B.M., Bergervoet M.J.E. and Visser R.G.F. 2003. Isolation of a gene encoding a copper chaperone for the copper/zinc superoxide dismutase and characterization of its promoter in potato. *Plant Physiology* 133: 618-629.
- Trindade L.M., Horvath B., Bachem C., Jacobsen E. and Visser R.G.F. 2003. Isolation and functional characterization of a stolon specific promoter from potato (*Solanum tuberosum* L.). *Gene* 303: 77-87.
- Tucker M.R., Araujo A.C.G., Paech N.A., Hecht V., Schmidt E.D.L., Rossell J.B., de Vries S.C. and Koltunow A.M.G. 2003. Sexual and apomictic reproduction in *Hieracium* subgenus *Pilosella* are closely interrelated developmental pathways. *Plant Cell* 15: 1524-1537.
- Van den Burg H.A., Westerink N., Francoijs K.J., Roth R., Woestenenk E., Boeren S., De Wit P.J.G.M., Joosten M.H.A.J. and Vervoort J. 2003. Natural disulfide bond-disrupted mutants of AVR4 of the tomato pathogen *Cladosporium fulvum* are sensitive to proteolysis, circumvent Cf-4-mediated resistance, but retain their chitin binding ability. *Journal Of Biological Chemistry* 278: 27340-27346.
- Van den Burg H.A. 2003. Studies towards the Intrinsic Function of the AVR4 and AVR9 Elicitors of the Fungal Tomato Pathogen *Cladosporium fulvum*, Wageningen University.
- Van der Hoorn R.A.L., Rivas S., Wulff B.B.H., Jones J.D.G. and Joosten M. 2003. Rapid migration in gel filtration of the Cf-4 and Cf-9 resistance proteins is an intrinsic property of Cf proteins and not because of their association with high-molecular-weight proteins. *Plant Journal* 35: 305-315.
- Van der Lee T. 2003. Genetic analysis of *Phytophthora infestans*, Wageningen University.
- Van der Vossen E., Sikkema A., Hekkert B.T.L., Gros J., Stevens P., Muskens M., Wouters D., Pereira A.,

- Stiekema W. and Allefs S. 2003. An ancient R gene from the wild potato species *Solanum bulbocastanum* confers broad-spectrum resistance to *Phytophthora infestans* in cultivated potato and tomato. *Plant Journal* 36: 867-882.
- Van Dijk P.J., Van Baarlen P. and De Jong J.H. 2003. The occurrence of phenotypically complementary apomixis-recombinants in crosses between sexual and apomictic dandelions (*Taraxacum officinale*). *Sexual Plant Reproduction* 16: 71-76.
- Van Doorn W.G., Balk P.A., Van Houwelingen A.M., Hoeberichts F.A., Hall R.D., Vorst O., Van der Schoot C. and Van Wordragen M.F. 2003. Gene expression during anthesis and senescence in *Iris* flowers. *Plant Molecular Biology* 53: 845-863.
- Van Driel M.A., Cuelenaere K., Kemmeren P., Leunissen J.A.M. and Brunner H.G. 2003. A new web-based data mining tool for the identification of candidate genes for human genetic disorders. *European Journal of Human Genetics* 11: 57-63.
- Verdonk J.C., De Vos C.H.R., Verhoeven H.A., Haring M.A., Van Tunen A.J. and Schuurink R.C. 2003. Regulation of floral scent production in petunia revealed by targeted metabolomics. *Phytochemistry* 62: 997-1008.
- Vereyken I.J., Chupin V., Hoekstra F.A., Smeekens S.C.M. and de Kruijff B. 2003. The effect of fructan on membrane lipid organization and dynamics in the dry state. *Biophysical Journal* 84: 3759-3766.
- Verhoeven H.A., Blaas J. and Brandenburg W.A. 2003. Fragrance profiles of wild and cultivated rose species and varieties. In: Roberts E. (ed), *Encyclopedia of rose science*. pp. -.
- Vincken Q.J.J.P., Suurs L.C.J.M. and Visser R.G.F. 2003. Microbial starch-binding domains as a tool for targeting proteins to granules during starch biosynthesis. *Plant Molecular Biology* 51: 789-801.
- Vincken J.P., Schols H.A., Oomen R., McCann M.C., Ulvskov P., Voragen A.G.J. and Visser R.G.F. 2003. If homogalacturonan were a side chain of rhamnogalacturonan I. Implications for cell wall architecture. *Plant Physiology* 132: 1781-1789.
- Vincken J.P., Beldman G., Oomen R.J.F., Visser R.G.F., Voragen A.G.J. and Schols H.A. 2003. Pectin - the hairy thing - evidence that homogalacturonan is a side chain of rhamnogalacturonan. In: Voragen A.G.J., et al. (eds), *Advances in pectin and pectinase research*, Kluwer academic publishers, Dordrecht, The Netherlands. pp. 47-60.
- Vroemen C.W., Mordhorst A.P., Albrecht C., Kwaaitaal M. and de Vries S.C. 2003. The CUP-SHAPED COTYLEDON3 gene is required for boundary and shoot meristem formation in *Arabidopsis*. *Plant Cell* 15: 1563-1577.
- Westerink N. 2003. The role of AVR4 and AVR4E proteins in virulence and avirulence of the tomato pathogen *Cladosporium fulvum*: molecular aspects of disease susceptibility and resistance, Wageningen University.