

Publications CBSG 2010

- Assunção, A. G. L., E. Herrero, Y. F. Lin, B. Huettel, S. Talukdar, C. Smaczniak, R. G. H. Immink, M. Van Eldik, M. Fiers, H. Schat and M. G. M. Aarts (2010). Arabidopsis thaliana transcription factors bZIP19 and bZIP23 regulate the adaptation to zinc deficiency. Proceedings of the National Academy of Sciences of the United States of America 107(22): 10296-10301.
- Ballester, A. R., J. Molthoff, R. de Vos, B. L. Hekkert, D. Orzaez, J. P. Fernandez-Moreno, P. Tripodi, S. Grandillo, C. Martin, J. Heldens, M. Ykema, A. Granell and A. Bovy (2010). Biochemical and molecular analysis of pink tomatoes: Deregulated expression of the gene encoding transcription factor SLMYB12 leads to pink tomato fruit color. Plant Physiology 152(1): 71-84.
- Bentsink, L., J. Hanson, C. J. Hanhart, H. Blankestijn-de Vries, C. Coltrane, P. Keizer, M. El-Lithy, C. Alonso-Blanco, M. T. de Andres, M. Reymond, F. van Eeuwijk, S. Smeeckens and M. Koornneef (2010). Natural variation for seed dormancy in Arabidopsis is regulated by additive genetic and molecular pathways. Proceedings of the National Academy of Sciences of the United States of America 107(9): 4264-4269.
- Bouwmeester, K. (2010). The interplay between a Phytophthora RXLR effector and an Arabidopsis lectin receptor kinase. Wageningen, Wageningen University: 224.
- Bovy, A., V. Gomez-Roldan and R.D. Hall (2010). Strategies to optimize the flavonoid content of tomato fruit. Recent advances in Polyphenol Research. C. Santos-Buelga, M.T. Escribano-Bailon and V. Lattanzio, Eds., Wiley. 2.
- Burg, H. A. van den, R. K. Kini, R. C. Schuurink and F. L. W. Takken (2010). Arabidopsis Small Ubiquitin-Like Modifier Paralogs Have Distinct Functions in Development and Defense. Plant Cell 22(6): 1998-2016.
- D'Hoop, B. B., M. J. Paulo, K. Kowitwanich, M. Sengers, R. G. F. Visser, H. J. van Eck and F. A. van Eeuwijk (2010). Population structure and linkage disequilibrium unravelled in tetraploid potato. Theoretical And Applied Genetics: 1-20.
- Duan, Y. H., J. Guo, K. Ding, S. J. Wang, H. Zhang, X. W. Dai, Y. Y. Chen, F. Govers, L. L. Huang and Z. S. Kang (2010). Characterization of a wheat HSP70 gene and its expression in response to stripe rust infection and abiotic stresses. Molecular Biology Reports: 1-7.
- Eeuwijk, Fred A. van, Marco C. A. M. Bink, Karine Chenu and Scott C. Chapman (2010). Detection and use of QTL for complex traits in multiple environments. Current Opinion in Plant Biology 13: 1-13.
- El-Lithy, M.E., M. Reymond, B. Stich, M. Koornneef and D. Vreugdenhil (2010). The relation between plant growth, carbohydrates and flowering time in the Arabidopsis Landsberg erecta x Kondara recombinant inbred line population. Plant Cell Environment 33: 1369-1382.
- Golas, T (2010). European Solanum dulcamara L. and its interaction with Phytophthora infestans (Mont.) de Bary. Nijmegen, Radboud Universteit: 131.
- Golas, T. M., R. M. C. Feron, R. G. van den Berg, G. M. van der Weerden, C. Mariani and J. J. H. M. Allefs (2010). Genetic structure of European accessions of Solanum dulcamara L. (Solanaceae). Plant Systematics and Evolution 285(1): 103-110.
- Golas, T. M., G. M. van der Weerden, R. G. van den Berg, C. Mariani and J. J. H. M. Allefs (2010). Role of Solanum dulcamara L. in Potato Late Blight Epidemiology. Potato Research 53(1): 69-81.
- Gort, G. and F. A. van Eeuwijk (2010). Codominant scoring of AFLP in association panels. Theoretical

And Applied Genetics 121(2): 337-351.

- Govers, F. and G. C. Angenent (2010). Fertility goddesses as Trojan horses. Science 330(6006): 922-923.
- Hageman, J. A., M. Malosetti and F. A. van Eeuwijk (2010). Two-mode clustering of genotype by trait and genotype by environment data. Euphytica: 1-11.
- Hall, R.D., C.H. De Vos and J. L. Ward (2010). Plant Metabolomics Applications in the Brassicaceae: Added Value for Science and Industry. M. Hansen, Ed. Proceedings of the Fifth International Symposium on Brassicas and Sixteenth Crucifer Genetics Workshop. Acta Horticulturae.
- Jacobs, M. M. J., B. Vosman, Vgaa Vleeshouwers, R. G. F. Visser, B. Henken and R. G. van den Berg (2010). A novel approach to locate Phytophthora infestans resistance genes on the potato genetic map. Theoretical And Applied Genetics 120(4): 785-796.
- Jamil, M., T. Charnikhova, F. Verstappen and H. Bouwmeester (2010). Carotenoid inhibitors reduce strigolactone production and Striga hermonthica infection in rice. Archives of Biochemistry and Biophysics 504(1): 123-131.
- Jonge, R. de, H. P. van Esse, A. Kombrink, T. Shinya, Y. Desaki, R. Bours, S. van der Krol, N. Shibuya, Mhaj Joosten and Bphj Thomma (2010). Conserved Fungal LysM Effector Ecp6 Prevents Chitin-Triggered Immunity in Plants. Science 329(5994): 953-955.
- Kaufmann, K., J. M. Muiño, M. Østerås, L. Farinelli, P. Krajewski and G. C. Angenent (2010). Chromatin immunoprecipitation (ChIP) of plant transcription factors followed by sequencing (ChIP-SEQ) or hybridization to whole genome arrays (ChIP-CHIP). Nature Protocols 5(3): 457-472.
- Kaufmann, K., F. Wellmer, J. M. Muiñ, T. Ferner, S. E. Wuest, V. Kumar, A. Serrano-Mislata, F. Madueño, P. Kraiewski, E. M. Meyerowitz, G. C. Angenent and J. L. Riechmann (2010). Orchestration of floral initiation by APETALA1. Science 328(5974): 85-89.
- Klooster, Van 't (2010). The Cladosporium fulvum Avr2 protein behaves both as a virulence and an avirulence factor. Wageningen, Wageningen University.
- Koropacka, K.B. (2010). Molecular contest between potato and the potato cyst nematode Globodera pallida: modulation of Gpa2-mediated resistance. Wageningen, Wageningen University.
- Lamers, P. P., C. C. W. Van De Laak, P. S. Kaasenbrood, J. Lorier, M. Janssen, R. C. H. De Vos, R. J. Bino and R. H. Wjffels (2010). Carotenoid and fatty acid metabolism in light-stressed Dunaliella salina. Biotechnology and Bioengineering 106(4): 638-648.
- Laptenok, S. P., J. W. Borst, K. M. Mullen, I. H. M. Van Stokkum, A. J. W. G. Visser and H. Van Amerongen (2010). Global analysis of Förster resonance energy transfer in live cells measured by fluorescence lifetime imaging microscopy exploiting the rise time of acceptor fluorescence. Physical Chemistry Chemical Physics 12(27): 7593-7602.
- Leon-Reyes, A., Y. Du, A. Koornneef, S. Proietti, A. P. Körbes, J. Memelink, C. M. J. Pieterse and T. Ritsema (2010). Ethylene signaling renders the jasmonate response of arabidopsis insensitive to future suppression by salicylic acid. Molecular Plant-Microbe Interactions 23(2): 187-197.
- Levesque, C. A., H. Brouwer, L. Cano, J. P. Hamilton, C. Holt, E. Huitema, S. Raffaele, G. P. Robideau, M. Thines, J. Win, M. M. Zerillo, G. W. Beakes, J. L. Boore, D. Busam, B. Dumas, S. Ferriera, S. I. Fuerstenberg, C. M. M. Gachon, E. Gaulin, F. Govers, L. Grenville-Briggs, N. Horner, J. Hostetler, R. H. Y. Jiang, J. Johnson, T. Krajaejun, H. Lin, H. J. G. Meijer, B. Moore, P. Morris, V. Phuntmart, D. Puiu, J. Shetty, J. E. Stajich, S. Tripathy, S. Wawra, P. van West, B. R. Whitty, P.

- M. Coutinho, B. Henrissat, F. Martin, P. D. Thomas, B. M. Tyler, R. P. De Vries, S. Kamoun, M. Yandell, N. Tisserat and C. R. Buell (2010). Genome sequence of the necrotrophic plant pathogen, *Pythium ultimum*, reveals original pathogenicity mechanisms and effector repertoire. Genome Biology 11.
- Li, Y. (2010). Dissertation University of Groningen.
- López-Ráez, J. A., W. Kohlen, T. Charnikhova, P. Mulder, A. K. Undas, M. J. Sergeant, F. Verstappen, T. D. H. Bugg, A. J. Thompson, C. Ruyter-Spira and H. Bouwmeester (2010). Does abscisic acid affect strigolactone biosynthesis? New Phytologist 187(2): 343-354.
- Mumm, R. and M. Dicke (2010). Variation in natural plant products and the attraction of bodyguards involved in indirect plant defense. Canadian Journal of Zoology 88(7): 628-667.
- Nooijen, S. de (2010). Role of non-specific interactions in nuclear organization. Wageningen, Wageningen University.
- Ooijen, G. van, E. Lukasik, H. A. Van Den Burg, J. H. Vossen, B. J. C. Cornelissen and F. L. W. Takken (2010). The small heat shock protein 20 RSI2 interacts with and is required for stability and function of tomato resistance protein I-2. Plant Journal 63(4): 563-572.
- Pino del Carpio, D. (2010). The genetics of the metabolome in *Brassica rapa*. Wageningen, Wageningen University.
- Smeeckens, S., J. K. Ma, J. Hanson and F. Rolland (2010). Sugar signals and molecular networks controlling plant growth. Current Opinion in Plant Biology 13(3): 274-279.
- Stergiopoulos, I., H. A. Van Den Burg, B. Ökmen, H. G. Beenen, S. Van Liere, G. H. J. Kema and P. J. G. M. De Wit (2010). Tomato Cf resistance proteins mediate recognition of cognate homologous effectors from fungi pathogenic on dicots and monocots. Proceedings of the National Academy of Sciences of the United States of America 107(16): 7610-7615.
- Stitt, M., R. Sulpice and J. Keurentjes (2010). Metabolic Networks: How to Identify Key Components in the Regulation of Metabolism and Growth. Plant Physiology 152(2): 428-444.
- Szinay, D. (2010). The development of FISH tools for genetic, phylogenetic and breeding studies in tomato (*Solanum lycopersicum*). Wageningen, Wageningen University.
- Takken, F. and M. Rep (2010). The arms race between tomato and *Fusarium oxysporum*. Molecular Plant Pathology 11(2): 309-314.
- Ten Hove, C. A. (2010). Regulation of cell fate and meristem maintenance in *Arabidopsis* root development, Utrecht University.
- ten Hove, C. A., V. Willemsen, W. J. de Vries, A. van Dijken, B. Scheres and R. Heidstra (2010). SCHIZORIZA Encodes a Nuclear Factor Regulating Asymmetry of Stem Cell Divisions in the *Arabidopsis* Root. Current Biology 20(5): 452-457.
- Terpstra, I., L. Basten Snoek, J. J. B. Keurentjes, Anton J.M. Peeters and G. Van den Ackerveken (2010). Regulatory Network Identification by Genetical Genomics: Signaling Downstream of the *Arabidopsis* Receptor-Like Kinase ERECTA. Plant Physiology 154: 1067-1078.
- Tikunov, Y. M., R. C. H. de Vos, A. M. G. Paramõs, R. D. Hall and A. G. Bovy (2010). A role for differential glycoconjugation in the emission of phenylpropanoid volatiles from tomato fruit discovered using a metabolic data fusion approach. Plant Physiology 152(1): 55-70.

- Urbanus, S. L. (2010). MADS on the move : a study on MADS domain protein function and movement during floral development in *Arabidopsis thaliana*. Wageningen, Wageningen University.
- Urbanus, S. L., A. P. Martinelli, Q. D. Dinh, L. C. B. Aizza, M. C. Dornelas, G. C. Angenent and R. G. H. Immink (2010). Intercellular transport of epidermis-expressed MADS domain transcription factors and their effect on plant morphology and floral transition. Plant Journal 63(1): 60-72.
- Wang, G. and M. Fiers (2010). CLE peptide signalling during plant development. Protoplasma
- Wang, G. and M. Fiers (2010). Receptor-like proteins: Searching for functions. Plant Signalling & Behaviour.
- Wang, G., M. Fiers, U. Ellendorff, Z. Wang, P. J. G. M. de Wit, G. C. Angenent and B. P. H. J. Thomma (2010). The diverse roles of extracellular leucine-rich repeat-containing receptor-like proteins in plants. Critical Reviews in Plant Sciences 29(5): 285-299.
- Wang, G., Y. Long, B.P.H.J. Thomma, P.J.G.M. De Wit, G.C. Angenent and M. Fiers (2010). Functional Analyses of the CLAVATA2-Like Proteins and Their Domains That Contribute to CLAVATA2 Specificity1[C][W]. Plant Physiology 152: 320-331.
- Wind, J., S. Smeeckens and J. Hanson (2010). Sucrose: Metabolite and signaling molecule. Phytochemistry 71(14-15): 1610-1614.